<del></del>	Application No.	Applicant(s)
Notice of Allowability	10/787,516	VERMAN ET AL.
	Examiner	Art Unit
	Chih-Cheng Glen Kao	2882
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 2/26/07.		
2.  The allowed claim(s) is/are <u>36,37,41-56,58 and 60</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Fergan on March 9, 2007.

2. The application has been amended as follows:

In claim 36, line 9, delete "element".

Cancel claim 57.

Cancel claim 59.

## Reasons for Allowance

3. Claims 36, 37, and 41-56, 58, and 60 are allowed. The following is an examiner's statement of reasons for allowance.

Regarding claim 36, prior art fails to disclose or fairly suggest an x-ray optical system for analyzing a sample, including an adjustable first aperture which adjusts convergence of an x-ray beam by selecting a portion of the x-ray beam delivered by an optic, the first aperture being positioned between the optic and the sample, wherein the first aperture includes a fixed portion and a movable portion that is movable relative to the fixed portion, the first aperture being adjusted by moving the movable portion relative to the fixed portion to change a size or shape of

Art Unit: 2882

the x-ray beam, and a second aperture which maximizes flux incident on the sample by occluding a portion of the x-ray beam to reduce background radiation around the sample, the second aperture being positioned between the first aperture and the sample, in combination with all the limitations in the claim. Claims 37, 41-56, 58, and 60 are allowed by virtue of their dependency.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chih-Cheng Glen Kao whose telephone number is (571) 272-2492. The examiner can normally be reached on M - F (9 am to 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/787,516

Art Unit: 2882

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

gk

EDWARD J. GLICK